

Le migliori curve sono
the best curves are
made in Italy




PLATE BENDING MACHINE



Dalla pluriennale esperienza di OMEC nata nel lontano 1973, oggi FLEXXO, è la linea di calandre 3 e 4 rulli sinonimo di qualità ed efficienza apprezzate da numerosi Clienti nelle lavorazioni di piccoli e medi spessori. La nostra politica aziendale è orientata alla piena soddisfazione del Cliente sia in fase d'offerta che in fase post vendita.

La nostra garanzia è offrire un'azienda che trasforma le materie prime al proprio interno per realizzare un prodotto finito di qualità, offrire un'assistenza post vendita garantita ed offrire un ambiente dove poter toccare con mano il prodotto acquistato. Questo ha reso FLEXXO un partner preferito da numerosi clienti.


FLEXXO rappresenta la linea di calandre a 3 e 4 rulli con semplice o doppio invito, indicate per lavorazioni di qualità su lamiere di piccoli e medi spessori.




Founded in 1973, OMEC's decades of experience have led to FLEXXO, the line of 3- and 4- roll plate rolling machines, synonymous with quality and efficiency, highly appreciated by numerous customers for processing low and medium thicknesses. Our corporate policy is oriented to full customer satisfaction, during both the offer and after-sales.

Our warranty is backed by a company that converts raw materials in-house, producing quality finished products, offers guaranteed after-sales service and provides an environment where you can see and touch the product you have purchased. This has made FLEXXO a preferred partner for many of our customers.

FLEXXO represents the line of 3- and 4-roll plate rolling machines with simple and double pre-bending, suitable for high-quality processing of low and medium gauge sheets.



we know how to
INVENT



we know how to
PRODUCE



we know how to
WORK



we know how to
INVEST





serieFX3.1

35 | 35M

 Calandre 3 rulli asimmetriche manuali o motorizzate, con semplice invito completo. Ideali per piccoli coni / tubi / carter con spessori lamiera da 0,5 > 1,5 mm

 Manual or motorised 3-roll asymmetrical plate bending machines, with simple complete pre-bending. Ideal for small cones / tubes / casings with sheet thicknesses from 0,5 > 1,5 mm



serieFX3.2

48 | 60 | 72 | 90

 Calandre 3 rulli asimmetriche, con semplice invito completo. Ideali per coni / tubi / carter con spessori lamiera 0,8 > 3 mm

 3-roll asymmetrical plate bending machines, with simple complete pre-bending. Ideal for cones / tubes / casings with sheet thicknesses from 0,8 > 3 mm

serieFX3.3

120 | 128 | 136 | 144 | 150 | 170

 Calandre 3 rulli asimmetriche, con semplice invito completo. Ideali per coni / tubi / carter con spessori lamiera 1,5 > 8 mm

 3-roll asymmetrical plate bending machines, with simple complete pre-bending. Ideal for cones / tubes / casings with sheet thicknesses from 1,5 > 8 mm

serieFX4.1

60 | 72 | 90

 Calandre 4 rulli con doppio invito completo. Ideali per coni / tubi / carter con spessori lamiera da 0,8 > 3 mm

 4-roll plate bending machines, with double complete pre-bending. Ideal for cones / tubes / casings with sheet thicknesses from 0,8 > 3 mm



serieFX4.2

120 | 128 | 136 | 144 | 150

 Calandre 4 rulli con doppio invito completo. Ideali per coni / tubi / carter con spessori lamiera da 1,5 > 5 mm


 4-roll plate bending machines, with double complete pre-bending. Ideal for cones / tubes / casings with sheet thicknesses from 1,5 > 5 mm

serieFX4.3

150 | 170 | 200 | 220 | 250 | 280

 Calandre 4 rulli idrauliche con doppio invito completo. Ideali per coni / tubi / carter con spessori lamiera da 3 > 15 mm

 4-roll plate hydraulic bending machines, with double complete pre-bending. Ideal for cones / tubes / casings with sheet thicknesses from 3 > 15 mm



serieFX4A

 Calandre 4 rulli con doppio invito completo. Ideale per medio-alte produzioni di tubi / carter con spessori lamiera da 0,6 > 2,5 mm

 4-roll plate bending machines, with double complete pre-bending. Ideal for medium-high production runs of tubes / casings with sheet thicknesses from 0,6 > 2,5 mm



serieFX3.1

FLEXO

serieFX3.2

FLEXO

serieFX3.3

FLEXO

serieFX4.1

FLEXO

serieFX4.2

FLEXO

serieFX4.3

FLEXO

serieFX4A

FLEXO



 **OMEC**
COSTRUZIONI MECCANICHE
ENGINEERING

OMEC Costruzioni meccaniche

Via Indipendenza, 14
25012 Viadana di Calvisano (Brescia) - IT
T. +39 030 96.82.27 r.a.
sales@omecweb.it | www.flexoweb.it